1. (Previously Presented) A motor vehicle Media Oriented Systems Transport data communication network, comprising:

a ring bus;

a plurality of multimedia units connected to the ring bus; and

a wireless transceiver connected to the ring bus, where the wireless transceiver receives outgoing data from the ring bus and transforms the outgoing data to a wireless data format and transmits the transformed data, and receives incoming data and transforms the incoming data and provides transformed incoming data indicative thereof to the ring bus, where the incoming data is formatted as Bluetooth data.

- 2. (Cancelled)
- 3. (Cancelled)
- 4. (Cancelled)
- 5. (Previously Presented) The Media Oriented Systems Transport data communication network of claim 1, where the plurality of multimedia units includes a DVD player.
- 6. (Previously Presented) The Media Oriented Systems Transport data communication network of claim 1, where the plurality of multimedia units includes an audio player.

7. (Previously Presented) The Media Oriented Systems Transport data communication network of claim 1, where the plurality of multimedia units includes a navigation system.

8. (Previously Presented) A method of communicating over a wireless communication channel between a motor vehicle Media Oriented Systems Transport network having a wireless transceiver and a wireless device, comprising:

receiving outgoing data at the wireless transceiver in a first data format compatible with the Media Oriented Systems Transport network and transforming the outgoing data to a second data format compatible with the wireless communication channel and providing a transformed output signal indicative thereof;

transmitting the transformed output signal over the wireless communication channel; and receiving incoming data at the wireless transceiver in the second data format and transforming the incoming data to the first data format, and providing a transformed input signal indicative thereof,

where the second data format is compatible with Bluetooth.

- 9. (Cancelled)
- 10. (Cancelled)
- 11. (Cancelled)

12. (Previously Presented) A motor vehicle Media Oriented Systems Transport data communication network that communicates over a wireless communication channel with a wireless device, comprising:

a ring bus;

a plurality of multimedia units connected to the ring bus; and

means for receiving outgoing data from the ring bus in a first data format compatible with the Media Oriented Systems Transport network, and for transforming the outgoing data to a second data format compatible with a wireless communication channel and for transmitting a transformed output data signal indicative thereof over the wireless communication standard,

where the transformed output data signal is formatted as Bluetooth data.

- 13. (Cancelled)
- 14. (Cancelled)
- 15. (Cancelled)
- 16. (Previously Presented) A motor vehicle Media Oriented Systems Transport data communication network, comprising:
 - a ring bus;
 - a plurality of multimedia units connected to the ring bus; and
- a wireless transceiver connected to the ring bus, where the wireless transceiver receives outgoing data from the ring bus and transforms the outgoing data to a wireless data format and

transmits the transformed data, and receives incoming data and transforms the incoming data and provides transformed incoming data indicative thereof to the ring bus.

- 17. (Previously Presented) The Media Oriented Systems Transport data communication network of claim 16, where the plurality of multimedia units includes a DVD player.
- 18. (Previously Presented) The Media Oriented Systems Transport data communication network of claim 16, where the plurality of multimedia units includes an audio player.
- 19. (Previously Presented) The Media Oriented Systems Transport data communication network of claim 16, where the plurality of multimedia units includes a navigation system.
- 20. (Previously Presented) A method of communicating over a wireless communication channel between a motor vehicle Media Oriented Systems Transport network having a wireless transceiver and a wireless device, comprising:

receiving outgoing data at the wireless transceiver in a first data format compatible with the Media Oriented Systems Transport network and transforming the outgoing data to a second data format compatible with the wireless communication channel and providing a transformed output signal indicative thereof;

transmitting the transformed output signal over the wireless communication channel; and receiving incoming data at the wireless transceiver in the second data format and transforming the incoming data to the first data format, and providing a transformed input signal indicative thereof.

21. (Previously Presented) A motor vehicle Media Oriented Systems Transport data communication network that communicates over a wireless communication channel with a wireless device, comprising:

a ring bus;

a plurality of multimedia units connected to the ring bus; and

means for receiving outgoing data from the ring bus in a first data format compatible with the Media Oriented Systems Transport network, and for transforming the outgoing data to a second data format compatible with a wireless communication channel and for transmitting a transformed output data signal indicative thereof over the wireless communication standard.